



**Acrovyn<sup>®</sup>**

Wall & Door  
Protection

*Healthy  
wall protection  
can still be  
beautiful.*



# Having trouble figuring out which wall protection is safe for the environment?




## Not with Acrovyn®!



Acrovyn 4000 contains no halogens, monomers or other known persistent bioaccumulative toxins (PBTs) and is UL Class A/1 fire rated and labeled.

That's because some manufacturers are making environmental claims that will confuse you. Not us. Acrovyn 4000 was thoroughly tested by McDonough Braungart Design Chemistry (MBDC), who offers one of the industry's most comprehensive third-party environmental evaluations. MBDC analyzed all Acrovyn 4000 components to 100 parts per million (not just the base resin) and found that they contain no PVC, PBTs or other harmful chemicals\*. C/S is committed to selling only Acrovyn 4000 while other wall protection manufacturers continue to sell PVC and are unwilling to disclose what chemicals their product options contain. In addition

to material health, MBDC also evaluates other aspects of how a company operates including material reutilization, renewable energy use, water stewardship and social responsibility before a product is certified. The result: Acrovyn 4000 is the only wall protection system that is MBDC Cradle to Cradle Certified™ Gold or Silver. Dedicated to environmental leadership,



C/S is committed to developing products that have no negative impact on buildings and their occupants and has voluntarily been ISO 14001 certified. So if protecting people is as important as protecting your walls, choose Acrovyn.

*\*See test results at [www.c-sgroup.com/acrovyn/results](http://www.c-sgroup.com/acrovyn/results)*

### Environmental Achievements

C/S was awarded Practice Greenhealth's Champion for Change Award for the past three years and EPA's 2011 Mid-Atlantic Environmental Achievement Award. Acrovyn 4000 was recognized as one of the Top 10 Green Building Products of 2010 by Sustainable Industries magazine and won Architectural Products' 2011 Product Innovation Award.



### "Imagine: Cancer treatment centers built without materials linked to cancer..."

Inspired by this statement from Green Guide for Health Care, C/S is offering Acrovyn 4000 SM-20 corner guards in the new #235 Pink Ribbon color. A portion (10%) of the proceeds from "Project Pink" will benefit the National Breast Cancer Coalition Fund. ([www.BreastCancerDeadline2020.org](http://www.BreastCancerDeadline2020.org))



# Designers and owners love Acrovyn® 4000's new texture.




*The new texture is easier to clean and maintain.*

We understand that people use wall protection because they need it, but we also know how important aesthetics are to our customers. **Acrovyn 4000 now has a contemporary new texture that designers and owners overwhelmingly prefer over other companies' wall protection with pebblette texture.** Owners find the reduced surface texture much easier to clean and maintain. Acrovyn 4000's new texture also improves color consistency between the end cap and profile and makes our Chameleon simulated wood and metal patterns more realistic than ever. Yet another advancement from C/S, the inventor and leader in modern wall protection for over 40 years.


Which simulated wood looks more realistic to you?



Acrovyn® 4000 Wall Guard



Competitor Wall Guard



Acrovyn® 4000's contemporary new texture, or...

everyone else's pebblette texture?

You decide.


# Introducing Acrovyn® 4000 Chameleon™ Simulated Wood and Metal Collection

*Now PVC-free and even more realistic*

Acrovyn Chameleon™ offers the industry's best looking, most durable simulated patterns available today. **The Chameleon's patterned ink and base material are completely free of PVC,** and Acrovyn 4000's new contemporary texture makes **our wall guards look even more realistic.** The smooth texture is easy to clean. Chameleon is 20 times more durable than stained wood.



*Our tough, easy to clean Chameleon Collection is available on most of our products, including doors, wall coverings, wall guards and wall panels, ensuring a totally coordinated look for your interior.*



*Our exclusive fusion bonding process means Acrovyn 4000 simulated wood patterns won't wear, scratch or peel off. It becomes integral with the Acrovyn material.*



*Acrovyn Chameleon's surface cleans easily with non-abrasive cleaners.*



*Acrovyn Chameleon patterns are 20x more durable than stained wood and 4x more durable than laminate.*



**Inova Alexandria Hospital**  
*Architect: RSG Architects  
Amber Cherry and  
Classic Maple Wall Panels*

*All Chameleon patterns for Acrovyn wall guards and wall coverings are MBDC Cradle to Cradle Certified™ Silver.*

## Acrovyn® Handrails

*A variety of handrails  
to complement your interior*

**1 Acrovyn**  
New Acrovyn 4000 is free of PVC and PBTs. The most durable handrails on the market today, many of which install easily with our patented Quick Lock brackets.

**2 Acrovyn Chameleon™  
Simulated Wood & Metal**  
PVC-free Acrovyn faux wood and metal handrails look just like the real thing but are designed to stand up to constant abuse.

**3 Acrovyn Renaissance™  
Real Wood & Metal**  
C/S offers real wood, real metal and combination wood/metal handrails for interiors that demand natural materials.

**4 Stainless Steel**  
Rugged high-tech looks in a variety of handrail profiles. See product section.

**NEW** Shadowgrain  
Texture

Architects and owners alike agree that new Acrovyn looks considerably more modern than wall protection with a Pebblette texture.



Acrovyn® Handrails *on the job*




- 1** HRB-4CN @ Finley Hospital  
Architect: Heery International
- 2** HRWS-6C @ AtlantiCare Regional Medical Center  
Architect: Francis Cauffman Architects
- 3** P-OMA @ St. Joseph's Women's Hospital  
Architect: HKS
- 4** HRB-10CN @ Patewood Memorial Hospital  
Architect: DesignStrategies
- 5** P-OMA @ Community Hospital North  
Architect: RTKL Associates
- 6** HRB-4CN @ John Muir Medical Center  
Architect: Ratcliff

# Install or remove handrails in half the time with the amazing Quick Lock bracket.



Three simple steps are all it takes.



## Quick Lock Brackets

Quick Lock makes the installation of C/S handrails a simple, clean process that can be accomplished in occupied areas. Quick Lock also allows you to preassemble the retainer, cover and end caps "off site," resulting in minimal downtime.

With Quick Lock there's no need to drill holes in the retainer and no struggling with component alignment. And if the handrail needs to be taken down to paint or repair, it is as easy as just twisting the bracket a half turn to remove.

## Here's the proof.

	<p><b>Standard Bracket Installation</b></p> <p>To install 60 lineal feet in a corridor using standard brackets. Two men are required to complete the installation.</p> <p><b>Elapsed Time:</b> 2 Contractors—1 Hour</p>		<p><b>Quick Lock Bracket Installation</b></p> <p>To install 60 lineal feet in the same corridor using Quick Lock brackets. Only one man is required to complete the installation.</p> <p><b>Elapsed Time:</b> 1 Contractor—1 Hour</p>
--	---	--	---

Look for Quick Lock bracket icons for available handrail options.

# Acrovyn® Handrails selection guide

Style	Height	Rail Offset	Max. Lengths	Bracket Type	Corner Conditions	Cost Index*	Page
 P-OAAN	6" 152MM	Offset 3" (76MM) Grip Width 1-1/2" (38MM)	20' (6.1M)	Stainless Cantilevered Bracket	Continuous Outside	150	30
 P-RAN	5 7/8" 149MM	Offset 3-3/4" (95MM) Grip Width 1-1/2" (38MM)	20' (6.1M)	Stainless Cantilevered Bracket	Continuous Outside	100	26
 HR-6CN	4" 102MM	Offset 3" (76MM) Grip Width 1-1/2" (38MM)	20' (6.1M)	Standard Acrovyn Bracket	Continuous Inside/Outside	50	26
 HRO-6N	3 9/16" 91MM	Offset 3" (76MM) Grip Width 1-1/2" (38MM)	20' (6.1M)	Standard Acrovyn Bracket	Continuous Inside/Outside	50	26
 HRB-4CN	5 1/2" 140MM	Offset 3" (76MM) Grip Width 1-1/2" (38MM)	20' (6.1M)	Standard Quick Lock Bracket and Caps 	Continuous Inside/Outside	100	26
 HR-8CN	6" 152MM	Offset 3" (76MM) Grip Width 1-1/2" (38MM)	20' (6.1M)	Standard Acrovyn Bracket	Continuous Inside/Outside	165	26
 HRB-20N	5 5/8" 143MM	Offset 3" (76MM) Grip Width 1-1/2" (38MM)	20' (6.1M)	Standard Quick Lock Bracket and Caps 	Continuous Outside	110	27
 HRB-10CN	6 1/4" 159MM	Offset 3" (76MM) Grip Width 1-1/2" (38MM)	20' (6.1M)	Standard Acrovyn Bracket	Continuous Outside	115	27
 Platform Series	6-6 3/8" 152-162MM	Offset 3" (76MM) Grip Width 1-1/2" (38MM)	Acrovyn 20' (6.1M)	Stainless Cantilevered Bracket	Continuous Outside	130- 450	30-33

\*By assigning our most popular profile a designation of 100, you can estimate how much more or less an alternate profile will cost.

"N" at the end of each model number designates standard PBT/PVC-free Acrovyn 4000 material, which will be supplied.

Style	Height	Rail Offset	Max. Lengths	Bracket Type	Corner Conditions	Cost Index*	Page
 HRS-6C	5 1/4" 133MM	Offset 3" (76MM) Grip Width 1-1/2" (38MM)	19' (5.8M)	Stainless Bracket	Continuous Inside/Outside	145	29
 HRWS-6C	5 1/4" 133MM	Offset 3" (76MM) Grip Width 1-1/2" (38MM)	Random 7'-12' (2.1 - 3.7M)	Stainless Bracket	Continuous Inside/Outside	105	28
 HRW-6C	4 3/32" 104MM	Offset 3" (76MM) Grip Width 1-1/2" (38MM)	Random 7'-12' (2.1 - 3.7M)	Standard Acrovyn Bracket	Continuous Outside	75	28
 HRW-35	3 1/2" 89MM	Offset 3" (76MM) Grip Width 1-1/2" (38MM)	Random 7'-12' (2.1 - 3.7M)	Standard Quick Lock Bracket 	Mitered Inside/Outside	145	28
 AW-10CVB	5 1/2" 140MM	Offset 3" (76MM) Grip Width 1-1/2" (38MM)	Random 7'-12' (2.1 - 3.7M)	Standard Quick Lock Bracket 	Mitered Inside/Outside	140	29
 HRBW-20N	5 5/8" 143MM	Offset 3" (76MM) Grip Width 1-1/2" (38MM)	Acrovyn 20' (6.1M) Wood - Random 7'-12' (2.1 - 3.7M)	Standard Quick Lock Bracket 	Continuous Outside	115	27
 HRBW-10CN	6 1/4" 159MM	Offset 3" (76MM) Grip Width 1-1/2" (38MM)	Acrovyn 20' (6.1M) Wood - Random 7'-12' (2.1 - 3.7M)	Standard Acrovyn Bracket	Continuous Outside	140	27
 HRW-10CV	6 1/4" 159MM	Offset 3" (76MM) Grip Width 1-1/2" (38MM)	Random 7'-12' (2.1 - 3.7M)	Standard Acrovyn Bracket Optional Quick Lock	Continuous Outside	175	29
 Platform Series	6-6 3/8" 152-162MM	Offset 3" (76MM) Grip Width 1-1/2" (38MM)	Wood - Random 7'-12' (2.1-3.7M) Aluminum 12' (3.7M) Stainless Varies by Model	Stainless Cantilevered Bracket	Continuous Outside	130- 450	30-33

\*By assigning our most popular profile a designation of 100, you can estimate how much more or less an alternate profile will cost.



# Acrovyn® Handrails


📄 For comprehensive information on these products, visit [www.c-sgroup.com/handrails](http://www.c-sgroup.com/handrails)



**HR-6CN**

**Product features**

4" high economical round pipe rail  
 3-9/16" high oval rail (HRO-6N) available  
 Choose matching or contrasting brackets  
 Optional vertical accents available on HRO-6N



**Available in:**

**64** Acrovyn Colors | **16** Faux Woods | **2** Faux Metals

For selection charts see pgs. 74-76



**P-RAN**

**Product features**

P-RAN is a single round Acrovyn rail 5-7/8" high  
 P-OAN is an oval Acrovyn pipe rail 5-1/2" high  
 Stainless steel brackets supplied; 8 optional powder coat finishes available, see pg. 78



**Available in:**

**64** Acrovyn Colors | **16** Faux Woods | **2** Faux Metals


For selection charts see pgs. 74-76



**HRB-20N**

**Product features**

5-5/8" high oval handrail/bumper guard, integrates up to 2 different colors/patterns  
 Optional vertical accents available, pgs. 74-75  
 Featuring Quick Lock brackets  
 Psychiatric bracket enclosures available



**Available in:**

**64** Acrovyn Colors | **16** Faux Woods | **2** Faux Metals


For selection charts see pgs. 74-76



**HRBW-20N**

**Product features**

This 5-5/8" profile combines an oval wood handrail with a protective Acrovyn crash rail  
 Featuring Quick Lock brackets  
 Psychiatric bracket enclosures available



**Available in:**

**64** Acrovyn Colors | **16** Faux Woods | **2** Faux Metals | **6** Real Woods


For selection charts see pgs. 74-76, 78-79



**HR-8CN**

**Product features**

6" high dual line handrail  
 Designed for wheelchair bound patients  
 Contrasting horizontal Acrovyn or Chameleon inserts  
 Psychiatric bracket enclosures available



**Available in:**

**64** Acrovyn Colors | **16** Faux Woods | **2** Faux Metals


For selection charts see pgs. 74-76



**HRB-4CN**

**Product features**


Classic 5-1/2" high handrail  
 Optional vertical accents available, pgs. 74-75  
 Featuring Quick Lock brackets  
 Psychiatric bracket enclosures available



**Available in:**

**64** Acrovyn Colors | **16** Faux Woods | **2** Faux Metals


For selection charts see pgs. 74-76



**HRB-10CN**

**Product features**

6-1/4" high round handrail/bumper guard, integrates up to 3 different colors/patterns  
 Solid or chameleon patterned horizontal accent available  
 Psychiatric bracket enclosures available



**Available in:**

**64** Acrovyn Colors | **16** Faux Woods | **2** Faux Metals


For selection charts see pgs. 74-76



**HRBW-10CN**

**Product features**

This 6-1/4" model combines a round wood handrail with a protective Acrovyn crash rail  
 Solid or chameleon patterned horizontal accent available  
 Psychiatric bracket enclosures available



**Available in:**

**64** Acrovyn Colors | **16** Faux Woods | **2** Faux Metals | **6** Real Woods

For selection charts see pgs. 74-76, 78-79

All handrails meet ADA 1-1/2" grip width and have a 3" handrail offset unless specified. All handrails shown except HRO-6N can be radiused. "N" at the end of each model number designates standard PBT/PVC-free Acrovyn 4000 material, which will be supplied.

# Acrovyn® Handrails

🕒 For comprehensive information on these products, visit [www.c-sgroup.com/handrails](http://www.c-sgroup.com/handrails)



**HRWS-6C**



**Product features**

5-1/4" high wood handrail with stainless steel end caps and brackets, stainless can be powder coated, optional; field verified dimensions  
 Rail's diameter is 1-1/2", wood end caps available  
 Optional stainless steel insert (Model HRWS-6CS) and splices available

**Available in:**

**6** Real Woods

For selection charts see pgs. 78-79



**P-OW**


**Product features**

P-OW is a single line oval real wood handrail 5-1/2" high  
 Oval design offers 335° grip surface  
 Model P-RW round rail design is 5-7/8" high  
 Stainless steel brackets supplied; 8 optional powder coat finishes available, see pg. 78

**Available in:**

**6** Real Woods

For selection charts see pgs. 78-79



**HRS-6C**

**Product features**

A 5-1/4" high stainless steel handrail with stainless steel end caps and brackets; field verified dimensions required  
 Optional powder coating available for all stainless components  
 Supplied cut to size only



**P-RS**

**Product features**

P-RS is a single round stainless steel rail 5-7/8" high; supplied cut to size only; field verified dimensions required  
 Stainless steel brackets supplied; 8 optional powder coat finishes available, see pg. 78  
 P-OM is an oval aluminum rail 5-1/2" high with powder coat



**HRW-6C**


**Product features**

A wood pipe rail for patient mobility  
 Total height 4-3/32"  
 Mounting brackets manufactured from Acrovyn

**Available in:**

**6** Real Woods

For selection charts see pgs. 78-79



**HRW-35**



**Product features**

Mitered end caps  
 Featuring Quick Lock brackets  
 Psychiatric bracket enclosures available

**Available in:**

**6** Real Woods

For selection charts see pgs. 78-79



**AW-10CVB**


**Product features**

A 5-1/2" high solid wood handrail  
 Feature bumper protects rail's face; see pg. 79  
 Model AW-10C features a plain face  
 Featuring Quick Lock brackets

**Available in:**

**6** Real Woods

For selection charts see pgs. 78-79



**HRW-10CV**


**Product features**

HRW-10CV is an elegant 6-1/4" wood handrail with feature inserts; see pg. 79  
 HRW-10C features a plain face. HRW-10CG's crash rail features finished grooves  
 Optional Quick Lock brackets; design is modified and supplied cut to size

**Available in:**

**6** Real Woods | **64\*** Acrovyn Colors | **16\*** Faux Woods | **2\*** Faux Metals

\*Insert only. For selection charts see pgs. 74-76, 78-79



All handrails meet ADA 1-1/2" grip width and have a 3" handrail offset unless specified. All handrails shown can be radiused.

"N" at the end of each model number designates standard PBT/PVC-free Acrovyn 4000 material, which will be supplied.

# Acrovyn® Platform Handrails

For comprehensive information on these products, visit [www.c-sgroup.com/handrails](http://www.c-sgroup.com/handrails)



**P-OMA**


**Product features**

P-OMA is a 6" high handrail featuring an oval aluminum handrail with an Acrovyn crash rail  
Stainless steel brackets supplied; 8 optional powder coat finishes available, see pg. 78

**Available in:**

**64** Acrovyn Colors | **16** Faux Woods | **2** Faux Metals

For selection charts see pgs. 74-76



**P-OAAN**


**Product features\*\***

P-OAAN is a 6" high combination oval Acrovyn handrail/crash rail  
For a round handrail specify model P-RAAN 6-3/8" high

**Available in:**

**64** Acrovyn Colors | **16** Faux Woods | **2** Faux Metals

For selection charts see pgs. 74-76



**P-RAWVN**


**Product features\*\***

Round Acrovyn handrail = 6-3/8" profile height  
P-RAWN = plain wood rail  
P-RAWGN = wood rail with finished grooves  
P-RAWVN (shown) = wood rail with inserts  
Oval Acrovyn handrail = 6" profile height  
P-OAWN = plain wood rail  
P-OAWGN = wood rail with finished grooves  
P-OAWVN = wood rail with inserts; see pg. 79

**Available in:**

**64** Acrovyn Colors | **16** Faux Woods | **2** Faux Metals | **6** Real Woods

For selection charts see pgs. 74-76, 78-79



**P-OWW**


**Product features\*\***

Oval wood handrail = 6" profile height  
P-OWW (shown) = plain wood rail  
P-OWWG = wood rail with finished grooves  
P-OWWV = wood rail with inserts; see pg. 79  
Round wood handrail = 6-3/8" profile height  
P-RWW = plain wood rail  
P-RWWG = wood rail with finished grooves  
P-RWWV = wood rail with inserts; see pg. 79

**Available in:**

**6** Real Woods

For selection charts see pgs. 78-79



**P-OWAN**


**Product features\*\***

The 6" high P-OWAN combines an oval wood handrail with Acrovyn crash rail  
P-RWAN is a 6-3/8" high combines a round wood handrail with an Acrovyn crash rail  
P-OMAN combines an oval powder coated aluminum handrail with an Acrovyn crash rail

**Available in:**

**64** Acrovyn Colors | **16** Faux Woods | **2** Faux Metals | **6** Real Woods

For selection charts see pgs. 74-76, 78-79



**P-RSAN**


**Product features\*\***

This 6-3/8" high model features a round stainless steel handrail\* with an Acrovyn crash rail  
Stainless rail cut to size only

**Available in:**

**64** Acrovyn Colors | **16** Faux Woods | **2** Faux Metals

For selection charts see pgs. 74-76



**P-OMW**


**Product features\*\***

P-OMW is a 6" high handrail featuring an oval aluminum handrail with a plain wood crash rail  
Model P-OMWG features finished grooves  
Model P-OMWV with feature inserts on the face rail; see pg. 79

**Available in:**

**6** Real Woods

For selection charts see pgs. 78-79



**P-RSWV**

**Product features\*\***

P-RSWV is a 6-3/8" high model featuring a round stainless steel handrail\* (cut to size only) with a real wood crash rail and feature inserts; see pg. 79  
P-RSW features a plain wood face  
P-RSWG's crash rail includes finished grooves

**Available in:**

**6** Real Woods

For selection charts see pgs. 78-79



All handrails meet ADA 1-1/2" grip width and have a 3" handrail offset unless specified. Consult factory for radius options.

\*Field verified dimensions required. \*\*Stainless steel brackets supplied; powder coat finishes optional.

Note: All aluminum components for Platform Handrails supplied in 1 of 8 powder coat finishes, see page 78.

"N" at the end of each model number designates standard PBT/PVC-free Acrovyn 4000 material, which will be supplied.

# Acrovyn® Platform Handrails


🔗 For comprehensive information on these products, visit [www.c-sgroup.com/handrails](http://www.c-sgroup.com/handrails)



**P-RASN**

**Product features\*\***

6-3/8" high P-RASN combines a round Acrovyn handrail with a stainless steel crash rail\*  
6" high P-OASN features an oval Acrovyn handrail with a stainless steel crash rail\*



**Available in:**

**64** Acrovyn Colors | **16** Faux Woods | **2** Faux Metals


For selection charts see pgs. 78-79



**P-RWS**

**Product features\*\***

A 6-3/8" combination, round wood handrail and a stainless steel crash rail  
6" high Model P-OWS combines an oval wood handrail with a stainless steel crash rail\*



**Available in:**

**6** Real Woods


For selection charts see pgs. 74-76



**P-OAMN**

**Product features\*\***

P-OAMN is a 6" high combination oval Acrovyn handrail with a 4" powder coated aluminum crash rail  
6-3/8" high Model P-RAMN features a round Acrovyn handrail and a powder coated aluminum crash rail  
Rails attach by dual cantilevered brackets



**Available in:**

**64** Acrovyn Colors | **16** Faux Woods | **2** Faux Metals


For selection charts see pgs. 74-76



**P-OWM**

**Product features\*\***

P-OWM is a 6" high rail combining an oval wood handrail with a 4" powder coated aluminum crash rail  
6-3/8" high P-RWM features a round wood handrail with a 4" powder coated aluminum crash rail



**Available in:**

**6** Real Woods


For selection charts see pgs. 78-79



**P-OMS**

**Product features\***


An all metal 6" high profile that combines an oval aluminum handrail with a stainless steel crash rail\*  
Aluminum handrail is powder coated  
Stainless rail supplied cut to size only



**P-RSS**

**Product features\*\***


A 6-3/8" high rail that combines a round stainless steel handrail\* with a stainless steel crash rail\*  
Aluminum handrail is powder coated



**P-OMM**

**Product features\*\***


An all aluminum handrail/crash rail profile 6" high  
All aluminum components are powder coated  
Contrast handrail and crash rail  
Stainless steel brackets supplied; powder coat finishes optional, see page 78



**P-RSM**

**Product features\*\***

A 6-3/8" high rail that combines a round stainless steel handrail\* with a 4" powder coated aluminum crash rail  
Stainless rail supplied cut to size only to field verified dimensions  
Stainless steel crash rail and brackets; powder coat finishes optional, see page 78



All handrails meet ADA 1-1/2" grip width and have a 3" handrail offset unless specified. Consult factory for radius options.

\*Field verified dimensions required. \*\*Stainless steel brackets supplied; powder coat finishes optional.

Note: All aluminum components for Platform Handrails supplied in 1 of 8 powder coat finishes, see page 78.

"N" at the end of each model number designates standard PBT/PVC-free Acrovyn 4000 material, which will be supplied.

# Acrovyn® Solid Colors



Cradle to Cradle Certified™ is a certification mark of MBDC

949 White (C2C Silver)	933 Mission White* (C2C Gold)	313 Vanilla (C2C Silver)	934 Pearl (C2C Gold)
100 Eggshell (C2C Gold)	858 Pumice (C2C Gold)	253 Parchment (C2C Silver)	517 Teton White (C2C Gold)
519 Buttercream (C2C Silver)	310 Yosemite Sand (C2C Gold)	101 French Cream (C2C Gold)	920 Almond (C2C Gold)
102 Desert Sand (C2C Gold)	254 Wheat (C2C Gold)	997 Irish Cream (C2C Gold)	186 Champagne (C2C Gold)
305 Mushroom (C2C Gold)	196 Fawn (C2C Gold)	103 Beige* (C2C Gold)	198 Beige Desert (C2C Gold)
866 Doeskin (C2C Gold)	479 Cappuccino (C2C Gold)	480 Toffee (C2C Gold)	303 Caramel (C2C Gold)
929 Oyster Gray (C2C Gold)	187 Tan Bark (C2C Gold)	513 Khaki Brown (C2C Gold)	105 Mocha (C2C Gold)
193 Gingerspice (C2C Gold)	307 Sienna (C2C Gold)	106 Brown (C2C Silver)	316 Chestnut (C2C Gold)

All colors are MBDC Cradle to Cradle Certified™ Gold or Silver. The C2C Gold and Silver notes on the color chips are for Acrovyn Wall Guards. All 64 colors for Acrovyn Wall Covering are currently Cradle to Cradle Certified™ Silver. Call 800-233-8493 for updated color information.

100s of custom colors have been matched, including competitor colors. Contact factory for availability.

322 Peanut Brittle (C2C Gold)	194 Chinchilla* (C2C Gold)	209 Slate (C2C Gold)	317 Kona (C2C Gold)
321 Russet (C2C Gold)	320 Brick (C2C Silver)	318 Berry Red (C2C Silver)	326 Rustic Red (C2C Silver)
311 Celery (C2C Gold)	521 Spanish Moss (C2C Silver)	522 Savannah (C2C Silver)	853 Ocean Gray (C2C Silver)
319 Saybrook Sage (C2C Silver)	324 Underseas (C2C Gold)	660 Sage Green (C2C Gold)	323 Serene Green (C2C Gold)
223 Danube (C2C Gold)	957 Bluestone (C2C Silver)	325 Cape Blue (C2C Gold)	930 Blue Silk (C2C Gold)
848 Aspen (C2C Gold)	129 Yale Blue (C2C Silver)	520 Imperial Purple (C2C Silver)	309 Tranquil Blue (C2C Gold)
927 Folkstone (C2C Gold)	265 Fog (C2C Gold)	262 Driftwood (C2C Gold)	314 Ozark (C2C Gold)
315 Galveston Gray (C2C Gold)	136 Pearl Gray (C2C Gold)	162 Charcoal* (C2C Gold)	108 Black* (C2C Gold)

\* Optional Vertical Accent Colors include: Beige, Black, Charcoal, Chinchilla and Mission White and are available for specific Acrovyn profiles. Due to limitations of the printing process, colors above may vary. When specifying, obtain color samples by calling factory.

# Acrovyn® Chameleon™ Simulated Wood & Metal



Cradle to Cradle Certified™ is a certification mark of MBDC

Lifetime Warranty (Call factory for details)



All 18 Chameleon Patterns for Acrovyn wall guards and wall coverings are MBDC Cradle to Cradle Certified™ Silver. Available for select profiles, .040" sheet and wall panels. Minimum order requirements may apply; refer to specific model for details. Inside corners are not available with Chameleon Patterns.

# Acrovyn® Wall Covering & Panel Texture Collection



Sheet and wall panel sizes vary; refer to our most current product specifications found at [www.c-sgroup.com](http://www.c-sgroup.com).

Specify direction of texture for full and wainscot applications.

\*Beadboard available in nominal 1" or 2-3/8" texture widths.

Wall Guards supplied in standard Shadowgrain. Solid colored .040" & .060" sheet supplied in standard Suede; .040" available in all other textures. Chameleon patterned .040" sheet supplied in standard Suede; available in all other textures. Square and beveled edge wall panels supplied in standard Suede; available in all other textures except Shadowgrain. Saratoga® wall system supplied in standard Suede; available in all other textures except Pindot, Dado, Quatro and Single Tread.

# Acrovyn® Renaissance Collection

Real Wood & Metal


FSC Certified wood available upon specification (not applicable to Bamboo or Beech).




## Ash




## Oak



## Beech




## Powder Coat




Custom wood species and finishes also available. Wood rail products are finished with waterborne finishes.  
 \*Optional powder coat finishes are available on all models with visible stainless steel and aluminum components except CRWS-2 and FRWS-2.  
 All aluminum components for the Platform Handrails will be supplied with a powder coat finish.


## Maple



## Bamboo



## Cherry



## Feature Insert Bumpers (for select wood models only)



**Note:** The products shown in this catalog may be covered by one or more of the following U.S. or Canadian patents: 5,427,359; D447,821; D448,494; D455,216; D462,259 S; D463,042 S; 6,508,458 B1; D476,089 S; 6,601,355 B2; 2,136,593; 96871; 96872; 96873; 97166; D480,820 S. Other U.S. and International Patents Pending.



**Construction Specialties™**

6696 State Route 405, Muncy, Pennsylvania 17756 U.S.A., 570-546-5941

895 Lakefront Promenade, Mississauga, Ontario L5E 2C2 Canada, 905-274-3611

📄 [www.c-sgroup.com](http://www.c-sgroup.com)



### **The C/S Family of Products**

For more than 60 years, Construction Specialties has been a leader in architectural specialty products, including: Acrovyn® Wall and Door Protection, Pedisystems® Entrance Flooring, Expansion Joint Covers, Cubicle Track and Curtains, Smoke and Explosion Venting Systems, Architectural Grilles, Architectural Louvers and Sun Controls.

We have operations throughout the world and can provide C/S products virtually anywhere. For a complete list of our international locations, visit [www.c-sgroup.com](http://www.c-sgroup.com).



*For the nearest C/S representative, or literature and samples, call toll free 800-631-7379 in U.S.A. and 888-895-8955 in Canada, or visit [www.c-sgroup.com](http://www.c-sgroup.com)*

©Copyright 2011 Construction Specialties, Inc.

Construction Specialties, Inc. reserves the right to make design changes or to withdraw any design without notice. Printed in U.S.A. Series 12

