

9

Ð

Wall & Door Protection

Healthy wall protection can still be beautiful.

Having trouble figuring out which wall protection is safe for the environment?







Acrovyn 4000 contains no halogens, monomers or other known persistent bioaccumulative toxins (PBTs) and is UL Class A/1 fire rated and labeled.

Not with Acrovyn[®]!

That's because some manufacturers are making environmental claims that will confuse you. Not us. Acrovyn 4000 was thoroughly tested by McDonough Braungart Design Chemistry (MBDC), who offers one of the industry's most comprehensive third-party environmental evaluations. MBDC analyzed all Acrovyn 4000 components to 100 parts per million (not just the base resin) and found that they contain no PVC, PBTs or other harmful chemicals*. C/S is committed to selling only Acrovyn 4000 while other wall protection manufacturers continue to sell PVC and are unwilling to disclose what chemicals their product options contain. In addition

to material health, MBDC also evaluates other aspects of how a company operates including material reutilization, renewable energy use, water stewardship and social responsibility before a product is certified. The result: Acrovyn 4000 is the only wall protection system that is MBDC Cradle to Cradle Certified[™] Gold or Silver. Dedicated to environmental leadership,



C/S is committed to developing products that have no negative impact on buildings and their occupants and has voluntarily been ISO 14001 certified. So if protecting people is as important as protecting your walls, choose Acrovyn.

*See test results at www.c-sgroup.com/acrovyn/results



Environmental Achievements

C/S was awarded Practice Greenhealth's Champion for Change Award for the past three years and EPA's 2011 Mid-Atlantic Environmental Achievement Award. Acrovyn 4000 was recognized as one of the Top 10 Green Building Products of 2010 by Sustainable Industries magazine and won Architectural Products' 2011 Product Innovation Award.



"Imagine: Cancer treatment centers built without materials linked to cancer..."

Inspired by this statement from Green Guide for Health Care,



C/S is offering Acrovyn 4000 SM-20 corner quards in the new #235 Pink Ribbon color. A portion (10%) of the proceeds from "Project Pink" will benefit the National Breast Cancer Coalition Fund. (www. BreastCancerDeadline2020.org



Designers and owners love Acrovyn[®] 4000's new texture.



The new texture is easier to clean and maintain.

We understand that people use wall protection because they need it, but we also know how important aesthetics are to our customers. **Acrovyn 4000 now has a contemporary new texture that designers and owners overwhelmingly prefer over other companies' wall protection with pebblette texture.** Owners find the reduced surface texture much easier to clean and maintain. Acrovyn 4000's new texture also improves color consistency between the end cap and profile and makes our Chameleon simulated wood and metal patterns more realistic than ever. Yet another advancement from C/S, the inventor and leader in modern wall protection for over 40 years.

Which simulated wood looks more realistic to you?




Acrovyn[®] 4000 Wall Guard




Competitor Wall Guard

Acrovyn[®] 4000's contemporary new texture, or...



everyone else's pebblette texture?

Introducing Acrovyn[®] 4000 Chameleon[®] Simulated Wood and Metal Collection



Acrovyn Chameleon" offers the industry's best looking, most durable simulated patterns available today. **The Chameleon's patterned ink and base material are completely free of PVC,** and Acrovyn 4000's new contemporary texture makes **our wall guards look even more realistic.** The smooth texture is easy to clean. Chameleon is 20 times more durable than stained wood.

Our tough, easy to clean Chameleon Collection is available on most of our products, including doors, wall coverings, wall guards and wall panels, ensuring a totally coordinated look for your interior.





Our exclusive fusion bonding process means Acrovyn 4000 simulated wood patterns won't wear, scratch or peel off. It becomes integral with the Acrovyn material.



Acrovyn Chameleon's surface cleans easily with non-abrasive cleaners.



Acrovyn Chameleon patterns are 20x more durable than stained wood and 4x more durable than laminate.



All Chameleon patterns for Acrovyn wall guards and wall coverings are MBDC Cradle to Cradle Certified^{CM} Silver.

Acrovyn[®] Wall Panels selection guide

PBT/PVC-free Acrovyn 4000 material will be supplied as standard.

Description	Durability Rating	Fire Rating	Colors	Textures	Patterns	Sizes*	Mounting Options	Cost Index**	Page
Acrovyn Solid Colored Beveled Edge Panels Factory-finished edges allow for maximum design flexibility. Panels can be fabricated to field verified dimensions or edges can be field cut (requiring caulk or trim moldings).	Moderate to High Impact Strength	Tested in accordance with ASTM E84 Class B/2 fire characteristics	64	13	N/A	43" x 114" (1.1m x 2.9m)	Demountable Z-Clip or Permanent Adhesive (see pg 60)	100	52, 56
Acrovyn Solid Colored Square Edge Panels Unfinished factory and field cut edges must be covered by caulk or trim moldings.	Moderate to High Impact Strength	Tested in accordance with ASTM E84 Class B/2 fire characteristics	64	13	N/A	46" x 118" (1.2m x 3.0m)	Permanent Adhesive only (see pg 60)	95	52, 56
Acrovyn Chameleon Simulated Wood Panels Factory-finished edges allow for maximum design flexibility. Panels can be fabricated to field verified dimensions or edges can be field cut (requiring caulk or trim moldings). Also available with unfinished square edges.	Moderate to High Impact Strength	Tested in accordance with ASTM E84 Class B/2 fire characteristics	N/A	13	16 woodgrain patterns	43" x 114" (1.1m x 2.9m)	Demountable Z-Clip or Permanent Adhesive (see pg 60)	110	54, 56
Acrovyn Chameleon Simulated Metal Panels Factory-finished edges allow for maximum design flexibility. Panels can be fabricated to field verified dimensions or edges can be field cut (requiring caulk or trim moldings). Also available with unfinished square edges.	Moderate to High Impact Strength	Tested in accordance with ASTM E84 Class B/2 fire characteristics	N/A	13	2 metal patterns	43" x 114" (1.1m x 2.9m)	Demountable Z-Clip or Permanent Adhesive (see pg 60)	110	54, 56
Renaissance Real Wood Panels Factory-finished edges allow for maximum design flexibility. Panels are fabricated to field verified dimensions.	Low to Moderate Impact Strength	Panel core tested in accordance with ASTM E84 Class A/I fire characteristics	5 stains	N/A	6 wood species	Up to 48" x 120" (1.2m x 3.0m)	Demountable Z-Clip or Permanent Adhesive (see pg 60)	210	58, 56

* Some Acrovyn textures may limit overall sheet and panel sizes. ** By assigning our most popular wall panel a designation of 100, you can estimate how much more or less an alternate panel will cost.

Acrovyn Wall Coverings selection guide .040" and .060" Rigid Acrovyn Sheet is available in PBT-free Acrovyn 4000.

Description		Durability Rating	Fire Rating	Colors	Textures	Patterns	Sizes*	Mounting Options	Cost Index**	Page
Acrovyn Saratoga Wall Syste .040" sheet combined with ove of panelized-looks for wainscot	rsized trims to create a variety	Moderate Impact Strength	Tested in accordance with ASTM E84 Class B/2 fire characteristics	64	10	18 wood and metal patterns	48" x 120" (1.2m x 3.0m) sheets and 96" (2.4m) trims	Permanent Adhesive only (see pg. 68)	325- 410	62- 65
.040" Rigid Acrovyn 4000 She Sheet can be installed with trin seams that allow for proper exp	ns, caulk or butt joint	Moderate Impact Strength		64	13	18 wood and metal patterns	48" x 120" (1.2m x 3.0m)	Permanent Adhesive only (see pg. 69)	100	66
.060" Rigid Acrovyn 4000 She Sheet can be installed with trin seams that allow for proper exp	ns, caulk or butt joint	Moderate to High Impact Strength	Class A/I	64	2	N/A	48" x 120" (1.2m x 3.0m)	Permanent Adhesive only (see pg. 69)	160	66

† For complete fire rating information refer to the Acrovyn tech manual.

* Some Acrovyn textures may limit overall sheet and panel sizes. ** By assigning our most popular wall covering a designation of 100, you can estimate how much more or less an alternate sheet will cost.

Acrovyn[•] High-Impact Wall Panels

An unbeatable combination of looks and performance

Acrovyn[®] High-Impact Wall Panels provide the ultimate in
wall protection. Highly versatile, Acrovyn panels can be installed
over any substrate, including ceramic tile or block. Acrovyn
Beveled and Square-Edge Panels are 3/8" thick. Acrovyn Wall
Panels can be manufactured in any size or shape. Acrovyn and
metal trims are available.

Finishes:	Colors: 64 Textures: 13	
Sizes:	Beveled Edge: up to 43" x 114"	Square Edge: up to 46" x 118"
Mounting:	Beveled Edge: Demountable Z- Square Edge: Permanent Adhe	

Wall panel cores contain no added urea formaldehyde.






Acrovyn Beveled Edge Panels (front) offer maximum protection and many aesthetic options. Square Edge Panels provide the same protection at a lower cost.

Acrovyn High-Impact Wall Panels 102 Desert Sand, 479 Cappuccino and 326 Rustic Red Kaiser Interstate Oncology Center

Chameleon[®] Simulated Wood and Metal Wall Panels



Acrovyn Chameleon Faux Wood and Metal Panels are available in 16 faux wood and 2 faux metal patterns.

The beauty of natural materials with the durability of Acrovyn

Acrovyn Chameleon simulated wood and metal patterns are so realistic there's no need to sacrifice durability for aesthetics. Chameleon patterned material withstands the abuse that real wood or metal can't handle.

Finishes:	Simulated Wood: 16	Simulated Metal: 2	Textures: 13
Sizes:	Beveled Edge: up to 43	" x 114" Square Edge	up to 46" x 118"
Mounting:	Beveled Edge: Demoun Square Edge: Permaner		nt Adhesive

Acrovyn Chameleon Faux Wood and Metal Panels can be manufactured in nearly any size or shape and in several of our standard textures. Wall panel cores contain no added urea formaldehyde.

Chameleon Simulated Wood and Metal Wall Panels 385 Royal Oak and 410 Brushed Silver Poway Unified School District Architect: NTD Architecture

Acrovyn[®] Headwalls

Real Wood

Chameleon Faux Wood

Chameleon Faux Metal

Solid Color Acrovyn

The ultimate protection for patient rooms

Rolling medical equipment, beds and IV pendants can "wreak havoc" with patient room headwalls. C/S Acrovyn has provided headwall protection for patient rooms in hundreds of facilities and protects numerous nurse stations as well. **High-Impact Acrovyn Wall Panels are designed to keep patient room headwalls and busy nurse stations damage-free.** Acrovyn Wall Panels offer architects a wide selection of aesthetic options including custom sizes and shapes in 64 solid colors, 18 Chameleon simulated wood & metal patterns and 30 standard real wood options.

Acrovyn Chameleon Panels @ St. Joseph's Medical Center



Acrovyn Chameleon Panels @ Palmyra Medical Center





Acrovyn and Wood Wall Panels

(=) (=)

Renaissance[®] Real Wood Wall Panels



Wall panel cores contain no added urea formaldehyde.

Square Veneer (Standard)

Square Lumbered (Optional)

> Bevel Lumbered (Optional)

Radius Lumbered (Optional) Renaissance Wood Panels combine wood's age-old warmth with twenty-first century manufacturing technologies for unmatched functional and aesthetic versatility. Panels are available in

6 wood species and 5 finishes with square veneer edges or bevel, radius and square lumbered edges. Optional FSC Certified wood panels are available.



Finishes:	6 Standard Wood Species, 5 Standard Finishes (custom available)
Sizes:	Up to 48" x 120"
Mounting:	Demountable Z-Clip or Permanent Adhesive

Renaissance Wood Panels can be manufactured in any of the edge styles shown at left.



Renaissance Real Wood Wall Panels 053 Honey Beech Cape Fear Valley Health Architect: HDR, Inc.

Acrovyn[•] Wall Panel Design Center

In order to plan your Acrovyn Wall Panel project to meet both your aesthetic and budgetary needs, please use the following criteria:

1 **Choose Your Panel Type** (choose from the selection chart on pages 50 and 51)

Cost factor: Consult one of our wall panel project managers at 800-233-8493 early in the process to help guide you to which Acrovyn wall panel system is right for you.

2 Choose Your Mounting System

Acrovyn Beveled Edge wall panels can be installed permanently with construction adhesive or on a demountable Z-Clip system. Each system can give you the same visual appearance. The demountable Z-Clip system allows you to remove or replace a panel without any repair work to the wall behind it.

The demountable Z-Clip system works with all C/S panel systems except the Acrovyn Square Edge Panel. The demountable panel system adds approximately 15% to the cost of a typical panel project.

All C/S panels can also be installed permanently using construction adhesive.

Complete installation instructions for all C/S panel systems can be found at www.c-sgroup.com.





3 Design Your Panel and Joint Pattern (sizes, shapes, joints)

This is where you can have the most impact on the cost of your panel project. Simply put, the more different sizes and shapes your project calls for, the more factory fabrication will be required, resulting in a higher cost.


Note: To achieve a "molding free" look on a tighter budget, limit the number of panel sizes to a maximum of five. Cut panels only in corners and at terminations, and use moldings as necessary.



Choose from butt joints with color-matched sealants, recessed moldings or contrasting reveals.



Combine solid Acrovyn with Chameleon Simulated Wood and Metal Panels for visual excitement.



Easily create dramatic visual accents with Acrovyn colors, patterns and textures.



Acrovyn Wall Panels can be formed in virtually any shape.

Saratoga Series Wall System





Outside Corner



Inside Corner

The Saratoga[®] Series **wall system is ideal for high traffic areas.** Key to the system is our rugged Acrovyn .040" sheet in a wide variety of colors, patterns and textures. By incorporating matching or contrasting vertical or horizontal moldings, **a variety of panelized designs** can be achieved. This system can be **used in full height or wainscot applications. See page 68 for technical information.**





Saratoga Wall System 383 Vintage Walnut Chameleon Simulated Wood with Backer Board with AW-10CVB Handrail Medical Center of Plano Architect: Perkins + Will

Saratoga[®] Series Wall System



Wall system in #399 Cherry with Acrovyn handrail, backer board, vertical and horizontal moldings



Wall system in #376 Northern Oak with vertical and horizontal moldings in #385 Royal Oak



Wainscot wall system in #933 Mission White with 1" Beadboard texture and colonial rail



Wall system in #381 Figured Anigre. 2" vertical and 4" horizontal moldings with a colonial rail



Saratoga Wall System Chameleon Walls in 372 Classic Maple Molding in 373 Amber Cherry

Outpatient Services

Acrovyn[•] High-Impact Wall Covering



Use Acrovyn Wall Covering in wainscot or full heights.

Heavy-duty protection against wall abuse

Acrovyn[®] 4000 Rigid Sheet is the **perfect wall covering for interiors subjected to daily abuse**. Offered in .040" and .060" thicknesses, all Acrovyn Wall Covering products are PVC-free. Acrovyn Rigid Sheet is UL Classified, Class A/1 fire-rated. Matching **PVC-free and optional aluminum trims are available.** Acrovyn mounts with C/S water-based mastic primer and adhesive. See page 69.

 Colors: 64
 Textures .040": 13 (Suede Only)
 Patterns .040": 18 Chameleon

 Textures .060": 1
 Simulated Wood and Metal

Sheet Sizes (max): Up to 48" x 120" Mounting: Permanent Adhesive

Acrovyn Rigid Sheet is available in a vast array of colors, textures and patterns. Complete line of color-matched moldings and caulk is available. Rugged PVC-free Acrovyn sheet will be supplied in standard Suede texture.




Quatro texture in 129 Yale Blue

Saratoga[®] Wall System


Acrovyn[•] Wall Covering

The simple way to achieve a panelized look for your walls

- Ideal for wainscot and full height applications
- .040" rigid sheet in 10 different textures
- = 2", 4", 6" & 8" trim pieces in 9'6" lengths
- Trims can be used separately as handrail backer, feature rail and cove base options
- Sheet and trims available in 64 solid colors and 18 faux wood and metal patterns
- Pre-fabricated corner trims supplied



Trim Options




Standard Wainscot Trim (1/2" thick) Optional colonial trim also available*




Includes 3/8" thick vertical trim and 1/2" thick horizontal trim



Partial Height Inside Corner (3/8" thick) Includes 1/2" thick horizontal trim



Full Height Vertical/Horizontal Transition Full Height Inside Corner (5/8" thick) Includes 1/2" thick horizontal trim



Partial Height Outside Corner (3/8" thick) Includes 1/2" thick horizontal trim



Full Height Outside Corner (5/8" thick) Includes 1/2" thick horizontal trim

A wide variety of rugged wall coverings to protect your walls

- .040" rigid sheet in 13 different textures
- .060" rigid sheet in 1 texture
- 4'x8' and 4'x10' standard sheet sizes (size varies based on texture)
- 64 solid colors. 18 faux wood and metal patterns in .040" only
- All sheet options are UL classified and labeled with a Class A/1 fire rating
- Color-matched caulk or 3/8" trim pieces in 10' lengths available for all joints

Trim Options

When making field

cutouts in Acrovyn

using a ROTOZIP®

4000 we recommend





Wainscot Trim Optional metal wainscot available

Inside Corner Trim

Optional metal inside corner available






Outside Corner Trim Optional metal outside corner available



*See pg 45 for other trim options



Color-matched sealant available



Aluminum Vertical Trim



Optional Outside Corner Guard See pages 12-13 for options

Acrovyn[®] Doors

Great looking, virtually indestructible and now available PVC-free

Acrovyn[®] Door Protection

Unlike standard wood or high pressure
laminate doors, the new Acrovyn
Door will not tear, chip or crack.
Manufactured in our Pennsylvania
plant, every door features rugged
Acrovyn laminate that's five times as
abrasion resistant as wood and twice as
resistant as HPL. To provide additional
protection for a longer door life, the
stiles on the Acrovyn Door are field
replaceable if ever damaged.
All Acrovyn Doors are PVC-free.

Replaceable Edge Guard

Acrovyn Door

Product features Industry's most durable door Features replaceable stiles if ever

damaged Non-Rated, 20, 45, 60 and 90 minute fire rated doors Call (800) 972-7214 for more information



All door protection meets UL-10C test protocol.

Fire Rating

Acrovyn Doors are available in 20, 45, 60 and 90 minute ratings. Non-rated doors are also available.

Stile & Rail Options

Wood, SCL or mineral composite stiles and rails provide superior screw holding power.

Strength and Rigidity Hardboard crossbanding adds strength and rigidity to the door.

Removable Primary Stile Stiles on latch and hinge side of door are also replaceable if ever damaged.

Door Cladding

Product features Model 3-DP features .040"

Acrovyn sheet

Supplied in standard door width/ height with 90° edge


Order two pieces to protect front and back of door

46-1/4" max door width



Acrovyn[•] Door & Frame Protection

(2) For comprehensive information on these products, visit www.c-sgroup.com/acrovyn/door-covering



All door protection meets UL-10C test protocol.





Product features

Custom formed .040" thick one-piece protectors

Manufactured to strict field or frame manufacturers'

dimensions from contractor One free sizing sample supplied

Model B1 for extended frame model with returns to wall

Model B2 for flush frame to wall configurations

Optional hospital stops available



Available in:

64 Acrovyn | 16 Faux Colors | 16 Woods 2 Faux Metals

For selection charts see pgs. 74-76

Product features

.040" thick guards are custom formed to the radius of elevator door frames

Supplied in standard 48" height (full or other heights available)

Field applied with adhesive



Available in:



For selection charts see pgs. 74-76

Acrovyn[®] Solid Colors



Cradle to Cradle Certified[™] is a certification mark of MBDC

100s of custom colors have been matched, including competitor colors. Contact factory for availability.

949 White (C2C Silver)	933 Mission White* (C2C Gold)	313 Vanilla (C2C Silver)	934 Pearl (C2C Gold)	322 Peanut Brittle (C2C Gold)	194 Chinchilla* (C2C Gold)
100 Eggshell (C2C Gold)	858 Pumice (C2C Gold)	253 Parchment (C2C Silver)	517 Teton White (C2C Gold)	321 Russet (C2C Gold)	320 Brick (C2C Silver)
519 Buttercream (C2C Silver)	310 Yosemite Sand (C2C Gold)	101 French Cream (C2C Gold)	920 Almond (C2C Gold)	311 Celery (C2C Gold)	521 Spanish Moss (C2C Silve
102 Desert Sand (C2C Gold)	254 Wheat (C2C Gold)	997 Irish Cream (C2C Gold)	186 Champagne (C2C Gold)	319 Saybrook Sage (C2C Silver)	324 Underseas (C2C Gold)
305 Mushroom (C2C Gold)	196 Fawn (C2C Gold)	103 Beige* (C2C Gold)	198 Beige Desert (C2C Gold)	223 Danube (C2C Gold)	957 Bluestone (C2C Silver)
866 Doeskin (C2C Gold)	479 Cappuccino (C2C Gold)	480 Toffee (C2C Gold)	303 Caramel (C2C Gold)	848 Aspen (C2C Gold)	129 Yale Blue (C2C Silver)
929 Oyster Gray (C2C Gold)	187 Tan Bark (C2C Gold)	513 Khaki Brown (C2C Gold)	105 Mocha (C2C Gold)	927 Folkstone (C2C Gold)	265 Fog (C2C Gold)
193 Gingerspice (C2C Gold)	307 Sienna (C2C Gold)	106 Brown (C2C Silver)	316 Chestnut (C2C Gold)	315 Galveston Gray (C2C Gold)	136 Pearl Gray (C2C Gold)

All colors are MBDC Cradle to Cradle Certified^{CM} Gold or Silver. The C2C Gold and Silver notes on the color chips are for Acrovyn Wall Guards. All 64 colors for Acrovyn Wall Covering are currently Cradle to Cradle Certified¹⁴ Silver. Call 800-233-8493 for updated color information.

* Optional Vertical Accent Colors include: Beige, Black, Charcoal, Chinchilla and Mission White and are available for specific Acrovyn profiles. Due to limitations of the printing process, colors above may vary. When specifying, obtain color samples by calling factory.




Acrovyn[®] Chameleon[®] Simulated Wood & Metal




Cradle to Cradle Certified[™] is a certification mark of MBDC

Acrovyn[®] Wall Covering & Panel Texture Collection

Lifetime Warranty (Call factory for details)



All 18 Chameleon Patterns for Acrovyn wall guards and wall coverings are MBDC Cradle to Cradle Certified[™] Silver. Available for select profiles, .040" sheet and wall panels. Minimum order requirements may apply; refer to specific model for details. Inside corners are not available with Chameleon Patterns.



Sheet and wall panel sizes vary; refer to our most current product specifications found at www.c-sgroup.com. Specify direction of texture for full and wainscot applications. *Beadboard available in nominal 1" or 2-3/8" texture widths.

Wall Guards supplied in standard Shadowgrain. Solid colored .040" & .060" sheet supplied in standard Suede; .040" available in all other textures. Chameleon patterned .040" sheet supplied in standard Suede; available in all other textures. Square and beveled edge wall panels supplied in standard Suede; available in all other textures except Shadowgrain. Saratoga® wall system supplied in standard Suede; available in all other textures except Pindot, Dado, Quatro and Single Tread.

Acrovyn[®] Renaissance Collection Real Wood & Metal








Beech


007 Nati







Custom wood species and finishes also available. Wood rail products are finished with waterborne finishes. * Optional powder coat finishes are available on all models with visible stainless steel and aluminum components except CRWS-2 and FRWS-2.

All aluminum components for the Platform Handrails will be supplied with a powder coat finish.







	(
Black	Chrome
Desert Sand	Almond

Note: The products shown in this catalog may be covered by one or more of the following U.S. or Canadian patents: 5,427,359; D447,821; D448,494; D455,216; D462,259 S; D463,042 S; 6,508,458 B1; D476,089 S; 6,601,355 B2; 2,136,593; 96871; 96872; 96873; 97166; D480,820 S. Other U.S. and International Patents Pending.

Construction Specialties™

6696 State Route 405, Muncy, Pennsylvania 17756 U.S.A., 570-546-5941 895 Lakefront Promenade, Mississauga, Ontario L5E 2C2 Canada, 905-274-3611 www.c-sgroup.com



The C/S Family of Products

For more than 60 years, Construction Specialties has been a leader in architectural specialty products, including: Acrovyn[•] Wall and Door Protection, Pedisystems[•] Entrance Flooring, Expansion Joint Covers, Cubicle Track and Curtains, Smoke and Explosion Venting Systems, Architectural Grilles, Architectural Louvers and Sun Controls.

We have operations throughout the world and can provide C/S products virtually anywhere. For a complete list of our international locations, visit <u>www.c-sgroup.com</u>.



For the nearest C/S representative, or literature and samples, call toll free 800-631-7379 in U.S.A. and 888-895-8955 in Canada, or visit www.c-sgroup.com

©Copyright 2011 Construction Specialties, Inc.

Construction Specialties, Inc. reserves the right to make design changes or to withdraw any design without notice. Printed in U.S.A. Series 12

